Substitute for form 1449A/PTO				Complete if Known		
				Application Number	10/579,251	
INFO	RMATION	DIS	CLOSURE	Filing Date	October 20, 2006	
STATEMENT BY APPLICANT				First Named Inventor	Luca Gianni	
				Art Unit	1623	
(Use as many sheets as necessary)				Examiner Name	Jonathan S. Lau	
Sheet	1	of	1	Attorney Docket Number	13566.105020	

	NON PATENT LITERATURE DOCUMENTS							
Examiner Initials *	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²					
/J.L./		Alexopoulos, "Phase II study of pegylated liposomal doxorubicin (Caelyx®) and docetaxel as first-line treatment in metastatic breast cancer," Ann. Oncol., 2004, 15(6):891-5						
/J.L./		Boranic et al., "A Parkinson-like Syndrome As Side Effect of Chemotherapy with Vincristine and Adriamycin in a Child With Acute Leukeamia," Biomedicine, vol. 31(5), pp. 124-5, 1979						
/J.L./		Gourley C. et al., "Malignant mixed Mesodermal Tumours - Biology and Clinical Aspects," European Journal of Cancer, 2002, vol. 38, no. 11, pages 1437-1446						
/J.L./		Halm et al., "A phase II study of pegylated liposomal doxorubicin for treatment of advanced hepatocellular carcinoma," Ann. Oncol., 2000, 11(1):113-114						
/J.L./		Hoekman at al., "A phase I/II study of dose-escalated docetaxel given two weekly in combination with a fixed dose of G-CSF," European Journal of Cancer, vol. 37, page S76, Abstract 270, October 22, 2001						
/J.L./		Lau et al., A Phase I and Pharmacokinetic Study of Ecteinascidin-743 (Yondelis) in Children with Refractory Solid Tumors." Clinical Cancer Research, vol. 11, pp. 672-677, Jan. 15, 2005						
/J.L./		Puchalski et al., "Pharmacokinetics of Ecteinascidin 743 Administered as a 24-h Continuous Intravenous Infusion to Adult Patients with Soft Tissue Sarcomas associations with Clinical Characteristics, Pathophysiological Variables and Toxicity," Cancer Chemotherapy and Pharmacology, 2002, vol. 50, no. 4, pages 309-319						
/J.L./		Sarosy et al., "Phase I Study of α2-interferon plus Doxorubicin in Patients with Solid Tumors," Cancer Research, vol. 46, pp. 5368-5371, 1986						
/J.L./		Twelves et al., "Phase I and pharmacokinetic study of YondelisTM (Ecteinascidin-743; ET-743) administered as an infusion over 1 h or 3 h every 21 days in patients with solid tumours," European Journal of Cancer, vol. 39, p. 1842-1851, 2003; available online August 14, 2003						
/J.L./		Wollina, "Multicenter study of pegylated liposomal doxorubicin in patients with cutaneous T-cell lymphoma," Cancer 2003, 1:98(5):993-1001, published online July 24, 2003						

Examiner Signature	/Jonathan Lau/	Date Considered	12/29/2009	
-----------------------	----------------	--------------------	------------	--